Author Index to Volume 39

Abdel-Fattah HM. See El-Fiki ME
Acqui M. See Lunardi P
Adams JE. The development of neurosurgery in northern California, 90
Akagawa T. See Nagashima C
Akiguchi I. See Shiino A
Aksoy B. See Bilge T
Alexander E Jr
  Comments on specialty site visits by the Residency Review Committee for Neurological Surgery by William F. Collins, M.D., 311-ed
  Current Neurosurgery, 334-br
  History of Surgery in the United States, 1775–1900, Volume II, Periodicals and Pamphlets, The, 334-br
  Preface to Festchrift, ii
  Rose Lotz, 426
Alport EC. See Ang LC
Andrade R. See Lynch JC
Andrews RJ, Bringas JR, Muto RP. Effects of mannitol on cerebral blood flow, blood pressure, blood viscosity, hematocrit, sodium, and potassium, 218
Ang LC, Rozdilsky B, Alport EC, Tchang S. Fahr's disease associated with astrocytic proliferation and astrocytoma, 365
Ansell LV. See Garrett D Jr
Araki Y. See Hara A
Arbit E. See Wróński M
Arisawa M. See Kurisaka M
Arista A. See Servadei F
Arvanitis D. See Issidorides MR
Assirati JA Jr. See Colli BO
Aydin Y. See Bilge T

Baba T. See Morioka T
Bağdatoğlu H. See Boyar B
Baker CJ, Ortiz O, Solomon RA. Resolution of focal CT hypodense lesions in patients with subarachnoid hemorrhage, 158
Balasubramaniam V. 250-le
Balériaux D. See Raftopoulos C
Bank WO. See Raftopoulos C
Barlas O. See Gokay H
Bartleson JD. See Link MJ
Barut S. See Bilge T
Basugi N. See Matsuno A
Bilge S. See Bilge T
Bilge T, Barut S, Bilge S, Aydin Y, Aksoy B, Senol S. Primary multiple hydatid cysts of the brain: case report, 377
Blanks J. See Foltz EL
Boyar B, Ildan F, Bağdatoğlu H, Cetinalp E, Karadayi A. Unilateral hydrocephalus resulting from occlusion of foramen of Monro: a new procedure in the treatment: stereotactic fenestration of the septum pellucidum, 110
Bradley MK. See Kornblith PK
Bringas JR. See Andrews RJ
Broome JC. See Singh RVP
Brotchi J. See Raftopoulos C
Broussard WA Jr. See Johnson RJ Jr
Browne JD. Surgical Anatomy of the Temporal Bone, 4th ed., 410-br
Buchfelder M. See Honegger J
Bucy PC. See Cloward RB

Calenbergh FV, Plets C, Goffin J, Velghe L. Nonaneurysmal subarachnoid hemorrhage: prevalence of perimesencephalic hemorrhage in a consecutive series, 320
Campbell DA. See Singh RVP
Canbolat A, ÖnalC, Kiris T. A high-position basilar top aneurysm approached via third ventricle: case report, 196
Carceller F. See Cuevas P
Cerullo LJ, Grutsch JF, Heiferman K, Osterdock R. The preservation of hearing and facial nerve function in a consecutive series of unilateral vestibular nerve schwannoma surgical patients (acoustic neuroma), 486
Cesaro P. See Geny C
Cetinalp E. See Boyar B
Chadduck WM. Transcranial Doppler, 73-br
Chou SN. Richard A. Lende winter neurosurgery conference, 243
Ciric I
  Paul C. Bucy, 419
  Tentorial and posterior cranial fosssa meningiomas: operative results and long term follow up: experience with twenty-six cases, 532
Cloward RB, Bucy PC. Spinal extradural cyst and kyphosis dorsalis juvenilis, 470
Colli BO, Pereira CU, Assirati JA Jr, Machado HR. Isolated fourth ventricle in neurocysticercosis: pathophysiology, diagnosis, and treatment, 305
Crespo A. See Cuevas P
Cuevas B. See Cuevas P
Cuevas P, Giménez-Gallego G, Carceller F, Cuevas B, Crespo A. Single topical application of human recombinant basic fibroblast growth factor (rbFGF) promotes neovascularization in rat cerebral cortex, 380
Cunha e Sa MJ. See Kader A

de Tribolet N . See Favre J
Degos JD. See Geny C
Deruaz J-P. See Favre J
Di Lorenzo N. See Lunardi P
Doherty PF, Stein SC, White R. Bilateral synovial cysts of the thoracic spine: a case report, 279
Dolan RA
  Case report: Successful removal of solitary metastatic cerebral malignant melanoma, 467
  Spinal adhesive arachnoiditis, 480
Donati R. See Servadei F
Drayer BP. See McCormick PW

Ehara K. See Wang R
El-Deeb A-K. See El-Fiki ME
El-Fiki ME, Abdel-Fattah HM, El-Deeb A-K. Sphenoid sinus mucopyocele with marked intracranial extension: a more common phenomenon in the third world?, 115

Fahlbusch R. See Honegger J
Favre J, Deruaz J-P, de Tribolet N. Pilocytic cerebellar astrocytoma in adults: case report, 360
Flotz EL, Blanks J, Meyer R. Shunted hydrocephalus: normal upright ICP by CSF gravity-flow control—a clinical study in young adults, 210
Forbes G. See Link MJ
Fortuna A. See Lunardi P
Freeman DG. Neurosurgery in San Diego: a historical vignette, 101
Fuji T. See Yamashita K
Fujita S, Kawaguchi T, Shose Y. Blade-deviated fenestrated clips for anterior communicating artery aneurysms, 204
Furuta M. See Higashi K

Galicich JH. See Wróński M
Garrett D Jr, Ansell LV, Story JL. Villaret's syndrome: a report of two cases, 282
Geny C, Cesaro P, Heran F, Nguyen JP, Poirier J, Degos JD. Pseudotumoral neuro-Behçet's disease, 374
Gibbs SR. See Haghighi SS
Giménez-Gallego G. See Cuevas P
Ginsberg L. Imaging of the Spine and Spinal Cord, Revised ed., 249-br
Goffin J. See Calenbergh FV

Author Index to Volume 39

Abdel-Fattah HM. See El-Fiki ME
Acqui M. See Lunardi P
Adams JE. The development of neurosurgery in northern California, 90
Akagawa T. See Nagashima C
Akiguchi I. See Shiino A
Aksoy B. See Bilge T
Alexander E Jr
  Comments on specialty site visits by the Residency Review Committee for Neurological Surgery by William F. Collins, M.D., 311-ed
  Current Neurosurgery, 334-br
  History of Surgery in the United States, 1775–1900, Volume II, Periodicals and Pamphlets, The, 334-br
  Preface to Festchrift, ii
  Rose Lotz, 426
Alport EC. See Ang LC
Andrade R. See Lynch JC
Andrews RJ, Bringas JR, Muto RP. Effects of mannitol on cerebral blood flow, blood pressure, blood viscosity, hematocrit, sodium, and potassium, 218
Ang LC, Rozdilsky B, Alport EC, Tchang S. Fahr's disease associated with astrocytic proliferation and astrocytoma, 365
Ansell LV. See Garrett D Jr
Araki Y. See Hara A
Arbit E. See Wróński M
Arisawa M. See Kurisaka M
Arista A. See Servadei F
Arvanitis D. See Issidorides MR
Assirati JA Jr. See Colli BO
Aydin Y. See Bilge T

Baba T. See Morioka T
Bağdatoğlu H. See Boyar B
Baker CJ, Ortiz O, Solomon RA. Resolution of focal CT hypodense lesions in patients with subarachnoid hemorrhage, 158
Balasubramaniam V. 250-le
Balériaux D. See Raftopoulos C
Bank WO. See Raftopoulos C
Barlas O. See Gokay H
Bartleson JD. See Link MJ
Barut S. See Bilge T
Basugi N. See Matsuno A
Bilge S. See Bilge T
Bilge T, Barut S, Bilge S, Aydin Y, Aksoy B, Senol S. Primary multiple hydatid cysts of the brain: case report, 377
Blanks J. See Foltz EL
Boyar B, Ildan F, Bağdatoğlu H, Cetinalp E, Karadayi A. Unilateral hydrocephalus resulting from occlusion of foramen of Monro: a new procedure in the treatment: stereotactic fenestration of the septum pellucidum, 110
Bradley MK. See Kornblith PK
Bringas JR. See Andrews RJ
Broome JC. See Singh RVP
Brotchi J. See Raftopoulos C
Broussard WA Jr. See Johnson RJ Jr
Browne JD. Surgical Anatomy of the Temporal Bone, 4th ed., 410-br
Buchfelder M. See Honegger J
Bucy PC. See Cloward RB

Calenbergh FV, Plets C, Goffin J, Velghe L. Nonaneurysmal subarachnoid hemorrhage: prevalence of perimesencephalic hemorrhage in a consecutive series, 320
Campbell DA. See Singh RVP
Canbolat A, ÖnalC, Kiris T. A high-position basilar top aneurysm approached via third ventricle: case report, 196
Carceller F. See Cuevas P
Cerullo LJ, Grutsch JF, Heiferman K, Osterdock R. The preservation of hearing and facial nerve function in a consecutive series of unilateral vestibular nerve schwannoma surgical patients (acoustic neuroma), 486
Cesaro P. See Geny C
Cetinalp E. See Boyar B
Chadduck WM. Transcranial Doppler, 73-br
Chou SN. Richard A. Lende winter neurosurgery conference, 243
Ciric I
  Paul C. Bucy, 419
  Tentorial and posterior cranial fosssa meningiomas: operative results and long term follow up: experience with twenty-six cases, 532
Cloward RB, Bucy PC. Spinal extradural cyst and kyphosis dorsalis juvenilis, 470
Colli BO, Pereira CU, Assirati JA Jr, Machado HR. Isolated fourth ventricle in neurocysticercosis: pathophysiology, diagnosis, and treatment, 305
Crespo A. See Cuevas P
Cuevas B. See Cuevas P
Cuevas P, Giménez-Gallego G, Carceller F, Cuevas B, Crespo A. Single topical application of human recombinant basic fibroblast growth factor (rbFGF) promotes neovascularization in rat cerebral cortex, 380
Cunha e Sa MJ. See Kader A

de Tribolet N . See Favre J
Degos JD. See Geny C
Deruaz J-P. See Favre J
Di Lorenzo N. See Lunardi P
Doherty PF, Stein SC, White R. Bilateral synovial cysts of the thoracic spine: a case report, 279
Dolan RA
  Case report: Successful removal of solitary metastatic cerebral malignant melanoma, 467
  Spinal adhesive arachnoiditis, 480
Donati R. See Servadei F
Drayer BP. See McCormick PW

Ehara K. See Wang R
El-Deeb A-K. See El-Fiki ME
El-Fiki ME, Abdel-Fattah HM, El-Deeb A-K. Sphenoid sinus mucopyocele with marked intracranial extension: a more common phenomenon in the third world?, 115

Fahlbusch R. See Honegger J
Favre J, Deruaz J-P, de Tribolet N. Pilocytic cerebellar astrocytoma in adults: case report, 360
Flotz EL, Blanks J, Meyer R. Shunted hydrocephalus: normal upright ICP by CSF gravity-flow control—a clinical study in young adults, 210
Forbes G. See Link MJ
Fortuna A. See Lunardi P
Freeman DG. Neurosurgery in San Diego: a historical vignette, 101
Fuji T. See Yamashita K
Fujita S, Kawaguchi T, Shose Y. Blade-deviated fenestrated clips for anterior communicating artery aneurysms, 204
Furuta M. See Higashi K

Galicich JH. See Wróński M
Garrett D Jr, Ansell LV, Story JL. Villaret's syndrome: a report of two cases, 282
Geny C, Cesaro P, Heran F, Nguyen JP, Poirier J, Degos JD. Pseudotumoral neuro-Behçet's disease, 374
Gibbs SR. See Haghighi SS
Giménez-Gallego G. See Cuevas P
Ginsberg L. Imaging of the Spine and Spinal Cord, Revised ed., 249-br
Goffin J. See Calenbergh FV

Gokay H, Barlas O, Hepgul KT, Hicdonmez T. Tethered cord in the adult mimicking the lumbar disc syndrome: report of two cases, 440
Goto K. See Kashiwagi S
Grutsch JF. See Cerullo LJ

Haghighi SS
Keller BP, Oro JJ, Gibbs SR. Motor-evoked potential changes during hypoxic hypoxia, 399
Stiens T, Oro JJ, Madsen R. Evaluation of the calcium channel antagonist nimodipine after experimental spinal cord injury, 403
Hagiwara S. See Yamamoto M
Hamada H. See Yamashita K
Handa H
Diversification in the concept of "birth and death:" the controversy about "brain death and organ transplantation" in Japan, 437
See Higashi K
See Yamakawa H
Handa J
See Kidooka M
See Nakasu Y
See Shiino A
Handa T. See Miyachi S
Hara A, Araki Y, Shinoda J, Hirayama H, Niikawa S, Sakai N, Yamada H. Central neurocytoma: proliferative assessment by nucleolar organizer region staining, 343
Hara T, Sasaki T, Miyauchi H, Takakura K. Noonan phenotype associated with intracerebral hemorrhage and cerebral vascular anomalies: case report. 31
Harimoto K. See Takaoka M
Harmanli O, Koyfman Y. Traumatic atlanto–occipital dislocation with survival: a case report and review of the literature, 324
Hayashi S. See Terada T
Heiferman K. See Cerullo LJ
Hepgul KT. See Gokay H
Heran F. See Geny C
Hicdonmez T. See Gokay H
Higashi K, Yamagami T, Satoh G, Shinnou M, Tanaka T, Handa H, Furuta M. Cerebral cysticercosis: a case report, 475
Hilal SK. See Kader A
Hillered L. See Zhang Y
Hirayama H. See Hara A
Hirota T. See Shimosawa S
Holtz A. See Zhang Y
Honegger J, Fahlbusch R, Buchfelder M, Huk WJ, Thierauf P. The role of transsphenoidal microsurgery in the management of sellar and parasellar meningioma, 18
Hoskins WJ. See Wrónski M
Huk WJ. See Honegger J
Ide M. See Yamamoto M
Ignelzi RJ. The potential role of low field MR with open design in assessing ligamentous injury in acute cervical trauma, 521
Ikeda Y. See Yoshida D
Ildan F. See Boyar B
Inagawa S. See Yamakawa H
Inoue S. See Takaoka M
Inubushi T. See Shiino A
Irikura K. See Miyasaka Y
Isozaki S. See Terada T
Issidorides MR, Arvanitis D. Histochemical marker of human catecholamine neurons in ganglion cells and processes of a temporal lobe ganglioglioma, 66
Itakura T. See Terada T
Ito H. See Kashiwagi S
Itoh S. See Matsuno A

Jacob RP
Pedicle Fixation of the Lumbar Spine, 248-br
Spine: State of the Art Reviews: Management of Spinal Deformities, Vol. 6, No. 2, 335-br
Jallu A. See Siqueira EB
Jelsma LF. See Jelsma RK
Jelsma RK, Jelsma LF, Johnson GS. Surgical removal of brainstem astrocytomas and hemangioblastomas: report of three cases and review, 495
Jimbo M. See Yamamoto M
Johnson GS. See Jelsma RK
Johnson PC. See McCormick PW
Johnson RJ Jr, Voorhies RM, Witkin M, Robichaux AG III, Broussard WA Jr. Fertility following excision of a symptomatic craniopharyngioma during pregnancy: case report, 257
Jones MW. Advances in Pain Research and Therapy, Volume 19. Deafferentiation Pain Syndromes Pathophysiology and Treatent, 409-br

Kader A, Young WL, Massaro AR, Cunha e Sa MJ, Hilal SK, Mohr JP, Stein BM. Transcranial Doppler changes during staged surgical resection of cerebral arteriovenous malformations: a report of three cases, 392
Kanaan I. See Siqueira EB
Karadayi A. See Boyar B
Kashiwagi S, Tsuchida E, Goto K, Shiroyama Y, Yamashita T, Takahasi M, Ito H. Balloon occlusion of a spontaneous carotid–cavernous fistula in Ehlers–Danlos syndrome Type IV, 187
Kawaguchi T. See Fujita S
Kawamura J. See Terayama Y
Keller BP. See Haghighi SS
Kelly PJ. Computed tomography and histologic limits in glial neoplasms: tumor types and selection for volumetric resection, 459
Keogh AJ. See Parekh HC
Khosla VK. See Komiyama M
Kidooka M, Okada T, Sonobe M, Nakazawa T, Handa J. Dissecting aneurysm of the anterior cerebral artery: report of two cases, 53
Kiris T. See Canbolat A
Kitahara T. See Miyasaka Y
Kohno K, Matsui S, Nishizaki A, Takeda S, Sadamoto K, Sakaki S. Successful total removal of intramedullary hemangioblastoma from the medulla oblongata, 25
Koide T. See Yamakawa H
Komai N. See Terada T
Komiyama M, Nishijima Y, Nishio A, Khosla VK. Extravasation of contrast medium from the lenticulostriate artery following local intracarotid fibrinolysis, 315
Kornblith PK, Welch WC, Bradley MK. The future of therapy for glioblastoma, 540
Kotoh K. See Yamashita K
Koyfman Y. See Harmanli O
Kubo O. See Yamamoto M
Kurata A. See Miyasaka Y
Kurisaka M, Arisawa M, Moriki A, Mori K. Successful combination chemotherapy (cisplatin, vinblastine, and bleomycin) with small-dose irradiation in the treatment of pineoblastoma metastasized into spinal cord: case report, 152
Kuriyama T. See Terada T

Lemons VR, Wagner FC Jr. Stabilization of subaxial cervical spinal injuries, 512
Link MJ, Bartleson JD, Forbes G, Meyer FB. Spontaneous midbrain hemorrhage: report of seven new cases, 58
Lunardi P
Acqui M, Maleci A, Di Lorenzo N, Fortuna A. Ultrasound-guided brain biopsy: a personal experience with emphasis on its indication, 148
Missori P, Di Lorenzo N, Fortuna A. Giant intracranial mucocele secondary to osteoma of the frontal sinuses: report of two cases and review of the literature, 46
Lynch JC, Andrade R. Unilateral pterional approach to bilateral cerebral aneurysms, 120

Machado HR. See Colli BO
Madsen R. See Haghighi SS
Maleci A. See Lunardi P
Marconi F, Parenti G, Puglioli M. Spontaneous regression of intracranial arteriovenous malformation, 385
Martin TJ. Atlas of Optic Nerve Disorders, 410-br

Massaro AR. See Kader A
Matos C. See Raftopoulos C
Matsuda M. See Shiino A
Matsui S. See Kohno K
Matsuno A, Yoshida S, Basugi N, Itoh S, Tanaka J. Severe subarachnoid hemorrhaage during transsphenoidal surgery for pituitary adenoma, 276
McCormick PW, Spetzler RF, Johnson PC, Drayer BP. Cerebellar hemorrhage associated with capillary telangiectasia and venous angioma: a case report, 451
McDonald JV. See Radley MG
McLean AJ. Brain tumors always die: A satiric parade, 99
Meyer FB. See Link MJ
Meyer JS. See Terayama Y
Meyer R. See Foltz EL
Micheli F, Plaghos LL, Parera IC. 170-le
Minouchi K. See Nakasu Y
Missori P. See Lunardi P
Miyachi S, Negoro M, Handa T, Sugita K. Dural carotid cavernous sinus fistula presenting as isolated oculomotor nerve palsy, 105
Miyasaka Y, Yada K, Kurata A, Tokiwa K, Irikura K, Tanaka R, Ohwada T, Kitahara T. Correlation between intravascular pressure and risk of hemorrhage due to arteriovenous malformations, 370
Miyauchi H. See Hara T
Mohr JP. See Kader A
Mori K. See Kurisaka M
Morikawa S. See Shiino A
Moriki A. See Kurisaka M
Morioka T, Baba T, Nishio S. 333-le
Muto RP. See Andrews RJ

Nagashima C, Akagawa T. A new, rolled-sponge technique for transoral exposure of C1 and C2, 226
Nakahara I. See Yamakawa H
Nakai K. See Terada T
Nakai T. See Yamashita K
Nakamura Y. See Terada T
Nakasu S. See Nakasu Y
Nakasu Y, Nakasu S, Minouchi K, Handa J. Multiple sinus pericranii with systemic angiomas: case report, 41
Nakazawa S. See Yoshida D
Nakazawa T. See Kidooka M
Nasi MT. See Servadei F
Negoro M. See Miyachi S
Nguyen JP. See Geny C
Niikawa S. See Hara A
Nishijima Y. See Komiyama M
Nishikawa M. See Yamakawa H
Nishio A. See Komiyama M
Nishio S. See Morioka T
Nishizaki A. See Kohno K

Ohwada T. See Miyasaka Y
Okada T. See Kidooka M
Olsson Y. See Zhang Y
ÖnalC. See Canbolat A
Oro JJ. See Haghighi SS
Ortiz O. See Baker CJ
Osterdock R. See Cerullo LJ

Parekh HC, Sharma RR, Keogh AJ, Prabhu SS. Primary malignant non-Hodgkin's lymphoma of cranial vault: a case report, 286
Parenti G. See Marconi F
Parera IC. See Micheli F
Pereira CU. See Colli BO
Pilcher WH. See Radley MG
Plaghos LL. See Micheli F
Plets C. See Calenbergh FV
Poirier J. See Geny C
Prabhu SS. See Parekh HC
Pudenz RH. Neural stimulation: clinical and laboratory experiences, 235
Puglioli M. See Marconi F

Radley MG, McDonald JV, Pilcher WH, Wilbur DC. Late solitary cerebral metastases from renal cell carcinoma: report of two cases, 230
Raff J. History of neurosurgery in Oregon, 94
Raftopoulos C, Sanchez A, Matos C, Balériaux D, Bank WO, Brotchi J. Hydrosyringomyelia–Chiari I complex. Prospective evaluation of a modified foramen magnum decompression procedure: preliminary results, 163
Rahm B. See Siqueira EB
Rawlings CE III. The Surgical Art of Harvey Cushing, 247-br
Robertson JT. The rape of the spine, 5
Robichaux AG III. See Johnson RJ Jr
Rozdilsky B. See Ang LC

Sadamoto K. See Kohno K
Sakai N. See Hara A
Sakaki S. See Kohno K
Sakamoto T. See Takaoka M
Sanchez A. See Raftopoulos C
Sano K. The impact of Japan on the future of neurosurgery, 429
Sasaki T. See Hara T
Satoh G. See Higashi K
Senol S. See Bilge T
Servadei F, Vergoni G, Nasi MT, Staffa G, Donati R, Arista A. Management of low-risk head injuries in an entire area: results of an 18-month survey, 269
Sharma RR. See Parekh HC
Shibayama M. See Shimosawa S
Shiino A, Matsuda M, Morikawa S, Inubushi T, Akiguchi I, Handa J. Proton magnetic resonance spectroscopy with dementia, 143
Shimosawa S, Tohyama K, Shibayama M, Takeuchi H, Hirota T. Spinal xanthogranuloma in a child: case report, 138
Shimura T. See Yoshida D
Shinnou M. See Higashi K
Shinoda J. See Hara A
Shiroyama Y. See Kashiwagi S
Shose Y. See Fujita S
Shuangshoti S. Primary papillary meningioma of the optic nerve sheath: A case of unique location and benign pathology, 200
Singh RVP, Suys S, Campbell DA, Broome JC. Malignant schwannoma of the cerebellum: case report, 128
Siqueira EB, Rahm B, Kanaan I, Jallu A. Brain tumors in pediatric patients at King Faisal Specialist Hospital and Research Centre, 443
Solomon RA. See Baker CJ
Sonobe M. See Kidooka M
Spetzler RF. See McCormick PW
Staffa G. See Servadei F
Stein BM. See Kader A
Stein SC. See Doherty PF
Stellar S. 331-le
Stern WE. Contributions to a seminar on the history of neurosurgery on the west coast, 83
Stiens T. See Haghighi SS
Story JL. See Garrett D Jr
Sugar O. Basic References in Neurosurgery—1991, 72-br
Sugita K. See Miyachi S
Suys S. See Singh RVP

Takahashi H. See Yoshida D
Takahasi M. See Kashiwagi S
Takakura K. See Hara T
Takaoka M, Harimoto K, Inoue S, Sakamoto T. Spontaneous recurrence of acute epidural hematoma: a case report, 223
Takeda S. See Kohno K
Takeuchi H. See Shimosawa S
Tamaki N. See Wang R
Tanaka J. See Matsuno A
Tanaka R. See Miyasaka Y
Tanaka T. See Higashi K
Tchang S. See Ang LC
Terada T, Nakamura Y, Yoshida N, Kuriyama T, Isozaki S, Nakai K, Itakura T, Hayashi S, Komai N. Percutaneous transluminal angioplasty for the M2 portion vasospasm following SAH: development of the new microballoon and report of cases, 13
Terayama Y, Meyer JS, Kawamura J, Weathers S. Cognitive recovery correlates with white-matter restitution after head injury, 177
Thierauf P. See Honegger J
Tohyama K. See Shimosawa S
Tokiwa K. See Miyasaka Y

Tsuchida E. See Kashiwagi S

Umebara Y. See Yamamoto M

Velghe L. See Calenbergh FV
Vergoni G. See Servadei F
Voorhies RM. See Johnson RJ Jr

Wagner FC Jr. See Lemons VR
Wang R, Ehara K, Tamaki N. Spinal cord edema following freezing injury in the rat: relationship between tissue water content and spinal cord blood flow, 348
Weathers S. See Terayama Y
Welch WC. See Kornblith PK
White R. See Doherty PF
Wilbur DC. See Radley MG
Witkin M. See Johnson RJ Jr
Wong C-W. The MRI and CT evidence of primary brain stem injury, 37
Wrónski M, Zakowski M, Arbit E, Hoskins WJ, Galicich JH. Endometrial cancer metastasis to brain: report of two cases and a review of the literature, 355

Yada K. See Miyasaka Y
Yamada H. See Hara A
Yamagami T. See Higashi K
Yamakawa H, Nishikawa M, Nakahara I, Inagawa S, Koide T, Handa H. Congenital subclavin steal syndrome with anomaly of the aortic arch, 133
Yamamoto M, Jimbo M, Ide M, Umebara Y, Hagiwara S, Kubo O. Recurrence of symptomatic Rathke's cleft cyst: a case report, 263
Yamashita K, Fuji T, Nakai T, Hamada H, Kotoh K. Extradural spinal angiolipoma: report of a case studied with MRI, 49
Yamashita T. See Kashiwagi S
Yang S-y, Zhao C-s. Review of 140 patients with brain abscess, 290
Yoshida D, Ikeda Y, Takahashi H, Shimura T, Nakazawa S. Intracranial fibromyxoma in a four-year-old child, 191
Yoshida N. See Terada T
Yoshida S. See Matsuno A
Young WL. See Kader A

Zakowski M. See Wrónski M
Zhang Y, Hillered L, Olsson Y, Holtz A. Time course of energy perturbation after compression trauma to the spinal cord: an experimental study in the rat using microdialysis, 297
Zhao C-s. See Yang S-y

Subject Index to Volume 39

Abscess, brain, 290
Acoustic neuroma, preservation of hearing and facial nerve function in, 486
Adenoma, pituitary, transsphenoidal surgery for, subarachnoid hemorrhage during, 276
Adolescents, spinal extradural cysts associated with kyphosis dorsalis juvenilis in, 470
Alzheimer's disease, proton magnetic resonance spectroscopy in, 143
Aneurysms. See also Pseudoaneurysm
  anterior communicating artery, blade-deviated fenestrated clips for, 204
  basilar top, high-position, subfrontal transventricular approach to dissecting, of anterior cerebral artery, 53
  intracranial, bilateral, unilateral pterional approach to, 120
  mycotic, of intracavernous carotid artery, 170-le
  in Noonan syndrome, 31
  rupture, vasospasm due to subarachnoid hemorrhage in, cerebral infarction and, computed tomography of, 158
Angiogenesis, after brain ischemia, human recombinant basic fibroblast growth factor and, 380
Angioglioma, astrocytoma, cerebellar, 360
Angiography, cerebral, of dissecting aneurysm of anterior cerebral artery, 53
Angiolipoma, spinal extradural, MRI study of, 49
Angioma
  systemic, multiple sinus pericranii with, 41
  venous, cerebellar telangiectasia associated with, capillary hemorrhage and, 451
Angioplasty, percutaneous transluminal, See Percutaneous transluminal angioplasty
Announcements, 546
Anterior cerebral artery, dissecting aneurysm of, 53
Anterior communicating artery, aneurysms, blade-deviated fenestrated clips for, 204
Aortic arch, right-sided anomaly of, congenital subclavian steal syndrome with, 133
Arachnoiditis, spinal adhesive, 480
Arteriovenous malformation
  cerebral, staged surgical resection of, transcranial Doppler changes during, 392
  hemorrhage due to
    correlation with intravascular pressure, 370
    midbrain, 58
  intracranial, spontaneous regression of, 385
Astrocytoma
  brainstem, surgical removal of, 495
  in Fahr's disease, 365
Astrocytosis, in Fahr's disease, 365
Atlanto–occipital dislocation, traumatic, survival after, 324
Autonomic overactivity, in Villaret's syndrome, 282

Back pain. See Low back pain
Bacterial aneurysm, of intracavernous carotid artery, 170-le
Balloon. See also Microballoon
  detachable, embolization of carotid–cavernous fistula in Ehlers–Danlos syndrome Type IV with, 187
Basal cisterns, hemorrhage in, 320
Basilar impression, transoral dentectomy in, rolled-sponge technique for, 226
Basilar top aneurysm, high-position, subfrontal transventricular approach to, 196
Behçet's disease, pseudotumoral presentation of, 374
BIOGRAPHIES
  Bucy, Paul C., 419
  Lotz, Rose, 426
Biopsy
  of brain lesion, ultrasound-guided, 148
  stereotactic
    in glial neoplasms, computed tomography-assisted, 459
    in pseudotumoral presentation of Behçet's disease, 374
Biostimulators, for neural tissue stimulation, 235
Birth, concept of, in Japan, 437
Blade-deviated fenestrated clip, for anterior communicating artery aneurysms, 204
Bleeding. See Hemorrhage
Bleomycin, combination chemotherapy, with cisplatin and vinblastine and small-dose irradiation for pineoblastoma metastasized into spinal cord, 152
Blood flow
  cerebral, See Cerebral blood flow
  spinal cord, spinal cord edema following freezing injury related to, 348
Blood pressure, mannitol effects on, 218
Blood-spinal cord barrier, disruption of, spinal cord edema following freezing injury related to, 348
Blood viscosity, mannitol effects on, 218
BOOK REVIEWS
  Advances in Pain Research and Therapy, Volume 19. Deafferentiation Pain Syndromes Pathophysiology and Treatment, 409
  Atlas of Optic Nerve Disorders, 410
  Basic References in Neurosurgery—1991, 72
  Current Neurosurgery, 334
  History of Surgery in the United States, 1775-1900, volume II, Periodicals and Pamphlets, The, 334
  Imaging of the Spine and Spinal Cord, Revised ed., 249
  Pedicle Fixation of the Lumbar Spine, 248
  Spine: State of the Art Reviews: Management of Spinal Deformities, Vol. 6, No.2, 335
  Surgical Anatomy of the Temporal Bone, 4th ed., 410
  Surgical Art of Harvey Cushing, The, 247
  Transcranial Doppler, 73
Brain
  abscess, 290
  contusions, management of, in entire referral area of neurosurgical unit, 269
  cysts
    cysticercosis, 475
    primary multiple hydatid, 377
  electrical activity, mannitol effects on, 218
  tumors
    astrocytoma, 360, 365
    craniopharyngioma, excision of, during pregnancy, fertility following, 257
    from endometrial cancer metastasis, 355
    fibromyxoma, in four-year-old child, 191
    glial, target volumes, computed tomography and magnetic resonance imaging of, 459
    melanoma, metastatic, removal of, 467
    meningioma, 532
    neurocytoma, proliferative potential, assessment by nucleolar organizer region staining, 343
    in pediatric patients, experience with, at King Faisal Specialist Hospital and Research Centre, 443
    pseudotumoral presentation in neuro-Behçet's disease, 374
    from renal cell carcinoma metastasis, 230
Brain death, organ transplantation and, controversy over, in Japan, 437

Brainstem
astrocytoma and hemangioblastoma, surgical removal of, 495
injury, MRI and CT of, 37
Bucy, Paul C., 419

Calcification, cerebral, in Fahr's disease, 365
Calcium channel antagonist, nimodipine, functional recovery effects, after spinal cord injury, 403
California, See West coast
Capillary telangiectasia, associated with venous angioma, cerebellar hemorrhage related to, 451
Carotid artery, intracavernous, mycotic aneurysm of, 170-le
Carotid cavernous fistula
dural, presenting as isolated oculomotor nerve palsy, 105
spontaneous, associated with Ehlers–Danlos syndrome Type IV, balloon occlusion of, 187
Carotid-subclavian bypass, for congenital subclavian steal syndrome with anomaly of the aortic arch, 133
Catecholamine neurons, histochemical marker of, in ganglion cells and processes of a temporal lobe ganglioglioma, 66
Cavernous angioma, multiple sinus pericranii with, 41
Cavernous malformation, associated with capillary telangiectasia and venous angioma, cerebellar hemorrhage and, 451
Cavernous sinus
fistula, dural carotid, presenting as isolated oculomotor nerve palsy, 105
meningioma, transsphenoidal microsurgery for, 18
Central neurocytoma, proliferative potential, assessment by nucleolar organizer region staining, 343
Cerebellum
hemorrhage, associated with capillary telangiectasia and venous angioma, 451
malignant schwannoma of, 128
Cerebral aneurysm
anterior communicating artery, blade-deviated fenestrated clips for, 204
bilateral, unilateral pterional approach to, 120
Cerebral blood flow
after head injury, cognitive recovery correlation with, 177
after staged surgical resection of arteriovenous malformations, transcranial Doppler ultrasound monitoring of, 392
mannitol effects on, 218
Cerebral calcification, in Fahr's disease, 365
Cerebral cortex, neovascularization in, human recombinant basic fibroblast growth factor promotion of, in rats, 380
Cerebral cysticercosis, surgical removal of, 475
Cerebral embolism, fibrinolysis for, extravasation of contrast medium from lenticulostriate artery following, 315
Cerebral infarction
related to dissecting aneurysm of anterior cerebral artery, 53
in vasospasm due to subarachnoid hemorrhage, computed tomography in, 158
Cerebral metastasis, malignant melanoma, removal of, 467
Cerebral vascular anomalies, in Noonan syndrome, 31
Cerebrospinal fluid, gravity-induced upright shunt flow, overdrainage produced by, in shunted hydrocephalus, 210
Cervical pseudoaneurysm, Villaret's syndrome from, 282
Cervical spine trauma
fractures, subaxial, stabilization of, 512
ligamentous, magnetic resonance imaging in, 521
Cervicomedullary astrocytoma, focal, surgical removal of, 495
Chemotherapy
combination, with cisplatin, vinblastine, and bleomycin, with small-dose irradiation, for pineoblastoma metastasized into spinal cord, 152
for glioblastoma, 540
Chiari I malformation, modified foramen magnum decompression procedure for, 163
Children, See Adolescents; Infants and children
Cisplatin, combination chemotherapy, with vinblastine and bleomycin and small-dose irradiation for pineoblastoma metastasized into spinal cord, 152
Claude Bernard syndrome, increased sympathetic outflow in, 282
Clips, fenestrated, blade-deviated, for anterior communicating artery aneurysms, 204
Cognition, recovery of, correlation with white-matter restitution after head injury, 177
Compression. See Spinal cord, compression
Computed tomography
of brain abscess, 290
brain lesion biopsy with, 148
in brain stem injury, 37
of cerebellar pilocytic angiocytoma, 360
of cerebral cysticercosis, 475
of giant intracranial mucocele secondary to osteoma of the frontal sinuses, 46
in glial neoplasms, 459
hypodense lesions, in vasospasm following subarachnoid hemorrhage, 158
of spontaneously recurrent acute epidural hematoma, 223
Computer-assisted techniques, for volumetric resection in glial neoplasms, 459
Congenital defects, subclavian steal syndrome, with right aortic arch, 133
Contralateral approach, to bilateral cerebral aneurysms, 120
Contrast medium, extravasation from the lenticulostriate artery following local intracarotid fibrinolysis, 315
Contusions, brain, management of, in entire referral area of neurosurgical unit, 269
Cortical somatosensory evoked potentials, after spinal cord injury, nimodipine effects on, 403
Cranial fasciitis, of childhood, 333-le
Cranial fossa, meningioma, tentorial and posterior, 532
Cranial vault, non-Hodgkin's lymphoma of, primary, 286
Craniocervical junction, transoral exposure of, rolled-sponge technique for, 226
Craniopharyngioma, excision of, during pregnancy, fertility following, 257
Craniotomy, pterional, unilateral, for bilateral cerebral aneurysms, 120
Cryosurgery, intracranial, 331-le
Cyst(s)
cysticercosis, cerebral, 475
hydatid, primary, multiple, of brain, 377
neurocysticercosis, isolated fourth ventricle in, 305
Rathke's cleft, recurrence of, 263
spinal, extradural, kyphosis dorsalis juvenilis associated with, 470
synovial, bilateral, of thoracic spine, 279
Cystic astrocytoma, brainstem, surgical removal of, 495
Cystic intramedullary brainstem hemangioblastoma, surgical removal of, 495
Cysticercosis
cerebral, surgical removal of, 475
neurocysticercosis, isolated fourth ventricle in, 305

Death, concept of, in Japan, 437
Death rates. See Mortality rates
Decompression, foramen magnum, modified, for hydrosyringomyelia–Chiari I complex, 163
Dementia, primary degenerative, proton magnetic resonance spectroscopy in, 143
Dialysis. See Microdialysis
Dislocation, antlanto–occipital, traumatic, survival after, 324
Dissecting aneurysm, of anterior cerebral artery, 53
Doppler ultrasound, transcranial
of spontaneous regression of intracranial arteriovenous malformation, 385
in staged surgical resection of cerebral

arteriovenous malformations, 392
Double-compartment hydrocephalus, in neurocysticercosis, 305
Drainage, superoposterior, in dural carotid cavernous sinus fistula, 105
Draining vein, intraoperative pressure levels in, risk of hemorrhage from arteriovenous malformation and, 370
Dural carotid sinus fistula presenting as isolated oculomotor nerve palsy, 105

Echinococcosis-hydatid cyst, of brain, 377
Edema, spinal cord, following freezing injury, relationship between tissue water content and spinal cord blood flow, 348
Editorials
Comments on specialty site visits by the Residence Review Committee for Nuerological Surgery by William F. Collins, M.D., 311
Historical vignette, Neurosurgery in San Diego, 101
Ehlers–Danlos syndrome, Type IV, spontaneous carotid-cavernous fistula associated with, balloon occlusion of, 187
Electrical stimulation, of neural tissue, 235
Electrocencephalogram, of motor-evoked potential changes during hypoxic hypoxia, 399
Electrode arrays, in neural stimulation, 235
Electrolytes, mannitol effects on, 218
Embolism, cerebral, fibrinolysis for, extravasation of contrast medium from lenticulostriate artery following, 315
Embolization, balloon, in carotid–cavernous fistula in Ehlers–Danlos syndrome Type IV, 187
Endometrial carcinoma, metastasis to brain, 355
Energy metabolism, changes in, after compression trauma to the spinal cord, 297
Eosinphilic globules, staining of, in temporal lobe ganglioglioma, 66
Epidural hematoma, acute, spontaneous recurrence of, 223
Evoked potentials
motor, changes during hypoxic hypoxia, 399
somatosensory, cortical, after spinal cord injury, nimodipine effects on, 403
Extradural cysts, kyphosis dorsalis juvenilis associated with, 470
Extradural hematomas, asymptomatic, from low-risk head injuries, 269
Extramedullary brainstem hemangioblastoma, surgical removal of, 495
Extravasation, of contrast medium from lenticulostriate artery following local intracarotid fibrinolysis, 315

Facial nerve, function, preservation of, in vestibular nerve schwannoma, 486
Fahr's disease, astrocytic proliferation and astrocytoma associated with, 365
Fasciitis, cranial, of childhood, 333-le
Feeding artery, intraoperative pressure levels in, risk of hemorrhage from arteriovenous malformation and, 370
Fenestrated clips, blade-deviated, for anterior communicating artery aneurysms, 204
Fenestration, stereotactic, of septum pellucidum, for unilateral hydrocephalus resulting from occlusion of foramen of Monro, 110
Fertility, following excision of craniopharyngioma during pregnancy, 257
Fibrinolysis, intracarotid, extravasation of contrast medium from lenticulostriate artery following, 315
Fibroblast, intracerebral fibromyxoma effects on, 191
Fibroblast growth factor (human recombinant basic), promotion of neovascularization in rat cerebral cortex by, 380
Fibromyxoma, intracranial, in four-year-old child, 191
Fistula, carotid cavernous
dural, presenting as isolated oculomotor nerve palsy, 105
spontaneous, associated with Ehlers–Danlos syndrome Type IV, balloon occlusion of, 187
Focal brainstem astrocytoma, surgical removal of, 495
Foramen magnum, decompression, modified, for hydrosyringomyelia–Chiari I complex, 163
Foramen of Monro, occlusion of, unilateral hydrocephalus resulting from, 110
Fourth ventricle, isolated, in neurocysticercosis, 305
Fracture, cervical spinal, 512
Freezing injury, spinal cord edema following, relationship between tissue water content and spinal cord blood flow, 348
Frontal area, 250-le
Frontal lobe, 250-le
Frontal sinuses, osteoma of, giant intracranial mucocele secondary to, 46

Gamma knife radiosurgery, for intracerebral hemorrhage associated with Noonan phenotype, 31
Ganglioglioma, temporal lobe, diagnosis of, histochemical marker of human catecholamine neurons in, 66
Glial neoplasms, histological margins, computed tomography and magnetic resonance imaging of, 459
Glioblastoma, therapy for, future of, 540
Granuloma. See Xanthogranuloma

Halo-vest, for stabilization of cervical spinal fractures, 512
Head injuries
minor, management of, in entire referral area of neurosurgical unit, 269
MRI and CT of, 37
spontaneous recurrence of acute epidural hematoma in, 223
white-matter restitution after, correlation of cognitive recovery with, 177
Hearing, preservation of, in vestibular nerve schwannoma, 486
Hemangioblastoma
extramedullary, surgical removal of, 495
intramedullary, total removal of, 25
Hematocrit, mannitol effects on, 218
Hematoma
epidural, acute spontaneous recurrence of, 223
extradural, asymptomatic, from low-risk head injuries, 269
Hemifacial spasm, neural stimulation effects on, 235
Hemorrhage
from arteriovenous malformation, corrrelation with intravascular pressure, 370
cerebellar, associated with capillary telangiectasia and venous angioma, 451
intracranial
midbrain, spontaneous, 58
in Noonan syndrome, 31
subarachnoid, See Subarachnoid hemorrhage
Hydatid cysts, primary, multiple, of brain, 377
Hydrocephalus
double-compartment, in neurocysticercosis, 305
normal-pressure, proton magnetic resonance spectroscopy in, 143
shunted, Zero Pressure Device for, normal upright ICP development by, 210
unilteral, from occlusion of foramen of Monro, 110
Hydrosyringomyelia–Chiari I complex, modified foramen magnum decompression procedure for, 163
Hypoxia, hypoxic, motor-evoked potential changes during, 399

Immunohistochemistry
in renal cell carcinoma metastases to brain, 230
in spinal xanthogranuloma in a child, 138
Immunotherapy, for glioblastoma, 540
Indirect injury mechanism, of intradural internal carotid artery, during or after transsphenoidal surgery for pituitary adenoma, 276
Infants and children. See also Adolescents
brain tumors in, experience with, at King Faisal Specialist Hospital and Research Centre, 443

cranial fasciitis of, 333-le
intracranial fibromyxoma in, 191
spinal xanthogranuloma in, 138
Instrumentation, related to spinal surgery, 5
Internal carotid artery, indirect injury mechanism of, during or after transsphenoidal surgery for pituitary adenoma, 276
Intracavernous carotid artery, mycotic aneurysm of, 170-le
Intracerebral vessel, small, percutaneous transluminal angioplasty of, microballoon for, 13
Intracranial aneurysms, bilateral, unilateral pterional approach to, 120
Intracranial extension, sphenoid sinus mucopyocele with, 115
Intracranial pressure, upright zero, normal, in shunted hydrocephalus, maintenance of, 210
Intracranial tumors, surgical treatment of, 99
Intramedullary brainstem hemangioblastoma, cystic, surgical removal of, 495
Intraventricular tumor, neurocytoma, proliferative potential, assessment by nucleolar organizer region staining, 343
Irradiation, small-dose, combination chemotherapy with cisplatin, vinblastine, and bleomycin with, for pineoblastoma metastasized into spinal cord, 152
Ischemia-induced vascular growth, role of human recombinant basic fibroblast growth factor, 380

Japan
controversy of "brain death and organ transplantation" in, 437
impact on the future of neurosurgery, 429

Kyphosis dorsalis infantilis, spinal extradural cyst associated with, 470

Lactate, accumulation of, after compression trauma to spinal cord, 297
Lende, Richard A., Winter Neurosurgery Conference, 243
Lenticulostriate artery, embolic occlusion, intracarotid fibrinolysis for, extravasation of contrast medium following, 315
Letters to the editor, 170, 250, 331
Ligamentous injury, spinal, magnetic resonance imaging of, 521
Lipid metabolism, in spinal xanthogranuloma in a child, 138
Locked-in syndrome, MRI and CT in, 37
Locus ceruleus, protein bodies in, in temporal lobe ganglioglioma, 66
Lotz, Rose, 426
Low back pain, overview of, 5
Lymbar disc syndrome, tethered cord in the adult mimicking, 440
Lymphoma, non-Hodgkin's, primary, of cranial vault, 286

M2 portion vasospasm, percutaneous transluminal angioplasty for, microballoon for, 13
Magnetic resonance imaging
in atlanto-occipital dislocation, 324
of brain abscess, 290
in brain stem injury, 37
of cerebellar pilocytic angiocytoma, 360
of cerebral cysticercosis, 475
in ligamentous injury in acute cervical trauma, 521
of pseudotomoral presentation of neuro-Behçet's disease, 374
of spinal angiolipoma, extradural, 49
use in removal of intramedullary hemangioblastoma, 25
Magnetic resonance spectroscopy, See Spectroscopy
Mannitol, effects on cerebral blood flow, blood pressure, and blood viscosity, hematocrit, sodium and potassium, 218
Medulla oblongata, meningioma, total removal of, 25
Megadolichobasilar artery, high-position basilar top aneurysm on, subfrontal transventricular approach to, 196
Melanoma, metastatic, cerebral, removal of, 467
Meningioma
papillary, of optic nerve sheath, 200
sellar and parasellar, transsphenoidal microsurgery for, 18
tentorial and posterior cranial fossa, 532
Microballoon, for percutaneous transluminal angioplasty of smaller intracranial vessels, 13
Microdialysis, study of time course of energy perturbation after compression trauma to the spinal cord, 297
Microsurgery
for intramedullary hemangioblastoma removal, 25
transsphenoidal, for sellar and parasellar meningioma, 18
Midbrain, hemorrhage, spontaneous, 58
Mortality rates
avoidable, in low-risk head injuries, 269
brain abscess-related, 290
Motor-evoked potential, changes during hypoxic hypoxia, 399
Mucocele
intracranial, giant, secondary to osteoma of the frontal sinuses, 46
sphenoid sinus, with marked intracranial extension, 115
Mucopyocele, sphenoid sinus, with marked intracranial extension, 115
Mycotic aneurysms, of intracavernous carotid artery, 170-le
Myxoma. See Fibromyxoma

N-acetylaspartate, levels, in dementia and normal-pressure hydrocephalus, 143
Naffziger, Howard C., 83
Neural damage, electrical stimulation in, 235
Neuralgia, trigeminal, pain of, neural stimulation effects on, 235
Neurocysticercosis, isolated fourth ventricle in, 305
Neurocytoma, central, proliferative potential, assessment by nucleolar organizer region staining, 343
Neuroma, acoustic, preservation of hearing and facial nerve function in, 486
Neurosurgeon, demands on, 99
Neurosurgery
future of, impact of Japan on, 429
history of, on west coast
Howard C. Naffziger's contribution to, 83
in northern California, development of, 90
in Oregon, 94, 99
in San Diego, 101-ed
Nimodipine, functional recovery effects, after spinal cord injury, 403
Non-Hodgkin's lymphoma, primary, of cranial vault, 286
Noonan syndrome, intracerebral hemorrhage and cerebral vascular anomalies associated with, 31
Nucleolar organizer regions, argophylic protein associated with, silver colloid staining technique for, central neurocytoma proliferative potential assessment by, 343

Oculomotor nerve palsy, dural carotid cavernous sinus fistula presenting as, 105
Odontoid removal, rolled-sponge technique for, 226
Optic nerve sheath, papillary meningioma of, 200
Oregon, history of neurosurgery in, 94, 99
Organ transplantation, brain death and, controversy over, in Japan, 437
Osteoma, of frontal sinuses, giant intracranial mucocele secondary to, 46
Overdrainage, in shunted hydrocephalus, mimicking of normal level of zero ICP for, 210
Overuse, related to diagnostic procedures, 5

Pain
low back, 5
of trigeminal neuralgia, neural stimulation effects on, 235
Palsy, oculomotor nerve, dural carotid cavernous sinus fistula presenting as, 105

Papillary meningioma, of optic nerve sheath, 200
Parkinson's disease, cryosurgery for, 331-le
Percutaneous transluminal angioplasty, for the M2 portion vasospam, microballoon for, 13
Perimesencephalic hemorrhage, 320
Pilocytic astrocytoma, cerebellar, in adults, 360
Pineoblastoma, metastasized into spinal cord, combination chemotherapy with cisplatin, vinblastine, and bleomycin with small-dose irradiation for, 152
Pituitary adenoma, transsphenoidal surgery for, subarachnoid hemorrhage during, 276
Posterior fossa, decompression, for hydrosyringomyelia–Chiari I complex, 163
Potassium, mannitol effects on, 192
Pre-motor strip, 250-le
Prefrontal cortex, 250-le
Pregnancy, craniopharyngioma excision during, fertility following, 257
Proliferative potential, of central neurocytoma, assessment by nucleolar organizer region staining, 343
Protein bodies, staining of, in temporal lobe ganglioglioma, 66
Proton magnetic resonance spectroscopy, in dementia, 143
Pseudoaneurysm, cervical, Villaret's syndrome from, 282
Pterional craniotomy, unilateral, for bilateral cerebral aneurysms, 120

Quality review, related to spinal surgery, 5

Radiosurgery, gamma knife, for intracerebral hemorrhage associated with Noonan phenotype, 31
Rathke's cleft cyst, recurrence of, 263
Rats
  cerebral cortex, neovascularization in, human recombinant basic fibroblast growth factor promotion of, 380
  compression trauma to spinal cord in, time course of energy perturbation after, 297
  spinal cord edema following freezing injury in, 348
Renal cell carcinoma, late solitary cerebral metastases from, 230
Resection
  staged, of cerebral arteriovenous malformations, transcranial Doppler changes during, 392
  stereotactic, of glial neoplasms, computed tomography-assisted, 459
Residency Review Committee, Comments on specialty site visits by the Residence Review Committee for Nuerological Surgery by William F. Collins, M.D., 311-ed
Right aortic arch, congenital subclavian steal syndrome with, 133
Rim enhancement, in computed tomography of spontaneous recurrence of acute epidural hematoma, 223
Rolled-sponge technique, for transoral exposure of C1 and C2, 226

Scalp mass, non-Hodgkin's lymphoma, primary, of cranial vault, 286
Schwannoma
  malignant, of cerebellum, 128
  vestibular nerve, hearing and facial nerve function preservation in, 486
Sellar region, lesions of
  differential diagnosis of, sphenoid sinus mucopyocele and, 115
  meningioma, transsphenoidal microsurgery for, 18
Septum pellucidum, stereotactic fenestration of, for unilateral hydrocephalus resulting from occlusion of foramen of Monro, 110
Shunting, shunts
  ventricle, in hydrocephalus, mimicking of normal level of zero ICP in, 210
  ventriculoperitoneal, isolated fourth ventricle in neurocysticercosis after, 305
Sinus pericranii, multiple, systemic angiomas with, 41
Skull vault lesions, non-Hodgkin's lymphoma, primary, 286
Skull X-rays, in low-risk head injuries, 269
Small intracerebral vessel, percutaneous transluminal angioplasty of, microballoon for, 13
Society of Neurological Surgeons, Richard A. Lende Winter Neurosurgery Conference, 243
Sodium, mannitol effects on, 192
Somatosensory evoked potentials, cortical, after spinal cord injury, nimodipine effects on, 403
Spasm, hemifacial, neural stimulation effects on, 235
Specialty site visits, Comments on specialty site visits by the Residence Review Committee for Nuerological Surgery by William F. Collins, M.D., 311-ed
Spectroscopy, proton magnetic resonance, in dementia and normal-pressure hydrocephalus, 143
Sphenoid sinus, mucopyocele, with marked intracranial extension, 115
Spinal cord
  adhesive arachnoiditis of, 480
  blood flow, spinal cord edema following freezing injury related to, 348
  compression
    cortical somatosensory evoked potentials after, nimodipine effects on, 403
    related to extradural angiolipoma, MRI of, 49
    time course of energy perturbation after, 297
  cysts, extradural, kyphosis dorsalis juvenilis associated with, 470
  edema, following freezing injury, relationship between tissue water content and blood flow, 348
  tethered, mimicking lumbar disk syndrome, 440
  tumors
    angiolipoma, extradural, 49
    pineoblastoma, metastatic, combination chemotherapy with cisplatin, vinblastine, and bleomycin with small-dose irradiation for, 152
    xanthogranuloma, in a child, 138
Spinal disorders, overview of, 5
Spinal instability, following cervical spinal injuries, stabilization of, 512
Spinal stabilization, following cervical spinal injuries, 512
Spinal trauma, ligamentous, magnetic resonance imaging of, 521
Sponge, rolled-sponge technique, for transoral exposure of C1 and C2, 226
Staged resection, of cerebral arteriovenous malformations, transcranial Doppler changes during, 392
Stereotactic biopsy
  of glial neoplasms, computed tomography-assisted, 459
  in pseudotumoral presentation of Behçet's disease, 374
Stereotactic resection, of glial neoplasms, computed tomography-assisted, 459
Stereotaxic surgery, fenestration of septum pellucidum, for unilateral hydrocephalus resulting from occlusion of foramen of Monro, 110
Striopallido-dentate calcinosis, astrocytic proliferation and astrocytoma associated with, 365
Subarachnoid hemorrhage
  in high-position basilar top aneurysm, 196
  M2 portion vasospasm following, percutaneous transluminal angioplasty for, microballoon for, 13
  perimesencephalic, nonaneurysmal, 320
  during transsphenoidal surgery for pituitary adenoma, 276
  vasospasm due to, focal CT hypodense lesions in region of, 158
Subclavian steal syndrome, congenital, with anomalous right-sided aortic arch, 133
Subfrontal approach, to high-position basilar top aneurysm, 196
Superoposterior drainage, in dural carotid cavernous sinus fistula, 105
Surgery. See also specific type of surgery
  brain lesion biopsy, ultrasound-guided, 148
  spinal, overview of, 5

Surgical excision, of cerebral cysticercosis, 475
Sympathetic ganglion, protein bodies in, in temporal lobe ganglioglioma, 66
Synovial cyst, bilateral, of thoracic spine, 279
Syringomyelia, hydrosyringomyelia–Chiari I complex, modified foramen magnum decompression procedure for, 163

Telangiectasia, capillary, associated with venous angioma, cerebellar hemorrhage related to, 451
Temporal lobe, ganglioglioma, diagnosis of, histochemical marker of human catecholamine neurons in, 66
Tethered cord, in adult, mimicking lumbar disk syndrome, 440
Third ventricle, high-position basilar top aneurysm approached via, 196
Thoracic spine, bilateral synovial cyst of, 279
Thrombosis, spontaneous, of arteriovenous malformation, 385
Transclival approach to exposure of C1 and C2, rolled-sponge technique for, 226
Transcranial Doppler ultrasound
  of spontaneous regression of intracranial arteriovenous malformation, 385
  in staged surgical resection of cerebral arteriovenous malformations, 392
Transoral approach to exposure of C1 and C2, rolled-sponge technique for, 226
Transplantation. See Organ transplantation
Transsphenoidal surgery
  for pituitary adenoma, subarachnoid hemorrhage during, 276
  for sellar and parasellar meningioma, 18
Trauma. See also Head injuries
  antlanto-occipital dislocation, survival after, 324
  brain stem, MRI and CT of, 37
  cervical spine
    fracture, subaxial, stabilization of, 512
    ligamentous, magnetic resonance imaging in, 521
  spinal cord, compression, time course of energy perturbation after, 297
  spontaneous recurrence of acute epidural hematoma in, 223
Trigeminal neuralgia, pain of, neural stimulation effects on, 235
Tumors. See specific body area; specific type of tumor

Ultrasound. See also Doppler ultrasound
  brain lesion biopsy with, 148
Unilateral hydrocephalus, from occlusion of foramen of Monro, 110
Upgaze paresis, in midbrain hemorrhage, 58
Upright zero ICP, normal, in shunted hydrocephalus, maintenance of, 210

Varix, in sinus pericranii, 41
Vascular anomaly, sinus pericranii with systemic angiomas, 41
Vascular growth, ischemia-induced, role of human recombinant basic fibroblast growth factor, 380
Vascular pressure, intraoperative, risk of hemorrhage from arteriovenous malformation correlation with, 370
Vasospasm
  of M2 portion, percutaneous transluminal angioplasty of, microballoon for, 13
  subarachnoid hemorrhage-related, focal CT hypodense lesions in regions of, 158
Venous angioma, cerebellar telangiectasia associated with, capillary hemorrhage and, 451
Venous anomaly, sinus pericranii, with systemic angiomas, 41
Ventriculoperitoneal shunting, isolated fourth ventricle in neurocysticercosis after, 305
Vestibular nerve, schwannoma, hearing and facial nerve function preservation in, 486
Villaret's syndrome, 282
Vinblastine, combination chemotherapy, with cisplatin and bleomycin and small-dose irradiation for pineoblastoma metastasized into spinal cord
Viral therapy, in glioblastoma, 540

Water content, tissue, spinal cord edema following freezing injury related to, 348
West coast, neurosurgery on
  development of, 90
West Coast, neurosurgery on
  history of
    Howard C. Naffziger's contribution to, 83
    in Oregon, 94, 99
    in San Diego, 101-ed
White-matter, integrity, after head injury, cognitive recovery correlation with, 177

X-rays, skull, in low-risk head injury, 269
Xanthogranuloma, spinal, in a child, 138

Zero ICP shunt, normal, in hydrocephalus, 210